

\* Easy Installation \*  
\* Patented Drop-Down Arm \*



### **Electrical Data**

Frequency  
Gain  
Beamwidth -3 dB  
X-polarization

### **PTX-60**

10.7 - 12.75  
35.7 dBi  
3.1°  
>27 dB

### **PTX-76**

10.7 - 12.75  
37.0 dBi  
2.6°  
>27 dB

### **Mechanical Data**

Reflector Type  
Mast Dimensions  
Elev. Adjustment  
Windspeed Survival  
Windload @36 m/s  
Feed Holder  
Offset Angle  
40 ft. Container/Bulk  
Boxed  
Box size & weight

Offset (F/D 0.6)  
1 5/8" up to 2 3/8" max.  
10-50, 44-80°  
42 m/s, 125 MPH  
343 N  
25x40mm, Plug-in/DBS  
26°  
5000 units  
800 units  
25 x 27 x 4 "/ 17 lbs.

Offset (F/D 0.6)  
1 5/8" up to 2 3/8" max.  
10-50, 44-80°  
42 m/s, 125 MPH  
343 N  
25x40mm, Plug-in/DBS  
26°  
4000 units  
600 units  
29 x 32 x 4"/ 19 lbs.

### **Mounting Options:**

Az-El Head  
Universal Mount  
Non-Penetrating

Az-El Head  
Universal Mount  
Non-Penetrating

\* Easy Installation \*  
 \* Patented Drop-Down Arm \*



**Electrical Data**

Frequency  
 Gain  
 Beamwidth -3 dB  
 X-polarization

**PTX-90**

10.7 - 12.75  
 38.7 dBi  
 2.0°  
 >27 dB

**Mechanical Data**

Reflector Type  
 Mast Dimensions  
 Elev. Adjustment  
 Windspeed Survival  
 Windload @36 m/s  
 Feed Holder  
 Offset Angle  
 40 ft. Container/Bulk  
 Boxed  
 Box size & weight

Offset (F/D 0.6)  
 1 5/8" up to 2 3/8" max.  
 10-50, 44-80°  
 42 m/s, 125 MPH  
 343 N  
 25x40mm, Plug-in/DBS  
 26°  
 1500 units  
 400 units  
 40 x 43 x 4" / 32 lbs.

**Mounting Options:**

Az-El Head  
 Universal Mount  
 Non-Penetrating



\* Easy Installation \*  
\* Patented Drop-Down Arm \*

**Electrical Data**

Frequency  
Gain @ 11.7 GHz  
Beamwidth  
X-polarization

**PTX-110**

10.7 - 12.75  
33.7 dBi  
2.6°  
>20 dB

**Mechanical Data**

Reflector Type  
Mast Dimensions  
Elev. Adjustment  
Windspeed Survival  
Windload Operational  
Feed Holder  
Offset Angle  
40 ft. Container/Bulk  
Boxed  
Box size & weight

Offset (F/D 0.6)  
2 Inches  
10-50, 44-80°  
125 MPH  
60 MPH  
25mm/40mm, Plug-in/DBS  
26°  
1300 units  
300 units  
45 x 42 x 5" / 34 lbs.

**Mounting Options:**

Az-EI Head  
Universal Mount  
Non-Penetrating